CENTRAL ISLAND BRANCH MEMBERS



TOOL LOANER PROGRAM

Contents: How the program operates – Page 1 Loan Agreement – Page 2

Tool Catalog – Pages 3-10

Welcome to the newly launched CIB (members only) Tool loaner Program. The Central Island Branch is excited to offer members a **FREE** Tool Loaner program!

Perhaps you have a job you'd like to complete but can't justify buying the tool for a one time job please check out our catalog and simply make a request. It's really simple!

- 1. Identify the tool you would like to borrow in the catalog
- 2. Contact Roger Tarry (Tool Crib Custodian) at 250-591-3124 or tarmarog2006@gmail.com
- 3. You can sign out the tool for up to 2 weeks but if you need it for longer you can request an extension as long an there is no one else waiting for the tool.
- 4. The tools are stored at Roger's house in Nanaimo (close to Departure Bay Ferry Terminal) and Roger can give you the address when you are booking the tool. Please note: tools must be picked up as we do not ship items.
- 5. There is no cost to borrow but we do ask for a deposit (equivalent to the replacement cost of the tool as estimated in the tool catalog) and will verify that you are a CIB member. If you give your credit card as a deposit, we will not process anything unless the tool does not get returned on time or is damaged to such an extent that we will need to replace the tool.
- Once the tool is returned on time and in good usable condition, we will tear off the portion of the loaner agreement with your card number on it and return it to you for disposal as we do not keep any card numbers on file.

This is a new program and therefore, we may make some tweaks along the way but we really hope that the members find this to be a very valuable and useful perk to being a member of our awesome branch.

At this time we have a very good assortment of tools but if there is something you'd like to see offered, please let us know. If the program goes well we may be open to suggestions to add to the crib and would be happy to have your feedback.

Feel free to contact:

Tool Crib Custodian - Roger Tarry Tarmarog2006@gmail.com

Or Julie McKay juliemckay009@gmail.com

CIB TOOL LOANER PROGRAM <u>LOAN AGREEMENT</u>

l,	(OECC member) agree to borrow			
(tool 9	SKU or Serial #) for an agreed to perio	od of	_ day(s).	* 14 days max. / sign out*
I also a	ning this agreement, I agree to return agree to provide my credit card detail rrowed item is:			
a) b)	returned in a timely manner as agr returned in good, clean, usable con			
I unde	rstand that no charges will be applied	I to my credit card unle	ss:	
a) b)		unusable/damaged con	dition	
re	this case, I agree to allow The Old Enplacement value (the amount listed em & I acknowledge that I will no long	in the Catalog is only ar	n estimat	e) in order to replace the
to m	acknowledge that I am wholly respond and in my care and control. I under me any liability and understand that ation of any item borrowed before p	rstand and accept that it is my sole responsib	the OEC	C and/or its members do no
	e event that I need to borrow the iter ctension before the item return due c			•
Nam	e:			(Please print clearly)
Signa	nture:	Da	ate:	(MM/DD/YY
Phon	e 1:	_ Phone	2:	
•••••	Cut here and destroy co	ard information when i	tem is re	turned
Cred	it Card #	Exp		CSV#
	*Note: Credit card information will be de			

OECC - CIB Tool Crib Catalog

1) Rebar-TechTorque Wrench

Part # 1/2-inch drive


- Half inch drive head, 40~300 foot-pound, 72-tooth ratchet head.
 Click preset style, automatic torque lock, industrial precision, dual direction, dual scale. Pre-calibrated to +/- 3% accuracy with traceable serial number.
- For nuts and bolts of cars, trucks, motorcycles, etc. Both for left-hand and right-hand thread.
- Body length of 20 inches, weighs 3 pounds. Made of hardened and heat-treated chrome vanadium steel, chrome plating finish.
- Automatic torque lock pull down red knob to rotate shaft holding the knob until torque setting completed. The red knob snaps back and locks the torque after released. During use, wrench emits a click that can be heard and felt when the preset value is reached.
- Includes torque wrench, black protective case, accuracy calibration certificate and instruction manual.

Approximate replacement value = \$70



Part # 5605

- Complete with standard and specialty adapters this deluxe kit offers a complete package for compression testing on gasoline engines
- Kit includes the deep well connector used on recessed plug well style heads and the new Ford Triton engine adapter using 16 mm thread plugs
- Corrosion resistant nickel plated finish
- Extra long 25" flex hose gauge assembly with quick coupler allows easy viewing out of cluttered engine compartment
- Rugged blow molded hard case with removable lid *Approximate replacement value = \$140*



3) OTC Brake Flaring Tool

Part # 6502

- Covers single, double and bubble type flares
- Single flare standard lines 3/16 inch 5/8 inch and single flare metric lines 4 millimeters - 14 millimeters
- Double flare standard lines 3/16 inch 1/2 inch and double flare metric lines 4 millimeters - 10 millimeters
- Bubble flare standard lines 3/16 inch 1/2 inch and bubble flare metric lines 4.75 millimeters - 10 millimeters
- Kit contains flaring bar, arbor press, adapters, tube cutter, and debarring tool - all in a hard case

Approximate replacement value = \$135



4) XiTuanYuan Brake Bleed Kit

Part # XTY-00047

- Easy to use and carry: individuals can independently suck out waste oil and air and inject new oil. High quality box is used for storage and transportation, saving space and improving speed.
- Multifunctional use: the reading of vacuum gauge is clear and accurate. Multi specification adapters are suitable for most models. Non slip rubber handle provides comfort.
- Function: pressure.(0-30 inch Hg/0-760 mm Hg).
- Kit 2 in 1: includes hand pump with vacuum gauge, reservoir with 2 caps, 4 suction pipes, 8 adapters and a box.
- Note: Please select the correct parts before use and ensure the correct connection.

Approximate replacement value = \$30



5) Innova Timing Light

Part # 3568

- Top-of-the line timing light for the selective do-it-yourselfer
- Split-screen digital LCD readout displays
 Tachometer and Advance functions simultaneously
- Slim, rotating barrel for better aim at timing mark
- Works with most ignition systems: conventional, electronic and computer controlled systems domestic and import
- Patented Skip Circuitry Test up to 9,990 RPM
 Approximate replacement value = \$130



6) Muzerdo Tap and Die Set

Part # LS015-M

- This tap and die set are made of made of high carbon chromium bearing steel which are more stronger, An overall chromium coating improves the corrosion resistance of the generally used through-hardening bearing steel.
- 86 piece tungsten steel set comes in an organized, rugged plastic storage case
- Ideal for rethreading fasteners and fastener holes for auto and machinery repair. Perfect set for the professional craftsman
- Tap and die set is designed for thread cutting: tap is used to process internal thread, while the die is for external thread
- Known for their ability to start easily, these taps and dies are the most commonly
 used style and are perfect for most hand threading applications

 Approximate replacement value = \$170



Part # YT-98044

- This item is designed to compress many MacPherson Strut Spring sizes
- The broad spring contact and built in detent pins help to lock the spring into place for safer
- This Tools Strut Spring Compressor quickly and safely compresses the spring easily
- Replacement of the strut cartridge or strut assembly repair.
- The hooks are forged and the center screw is hardened for long life.
 Approximate replacement value = \$40

8) Newbuy Slide Hammer Puller

Part # P20002

- Easily remove mechanical, press-fit parts (bearings, bushings, gears, pulleys, etc.) from a shaft; or remove shafts from inside a hole
- Full kit, ideal for use on a wide variety of pulling applications, including pulling dents; compatible with many sizes of bearings, gears and shafts.
- Constructed of sturdy carbon steel, our tool kit can withstand accidental drops or years of use without cracking or rust.
- We've included a detailed parts diagram and step-by-step instruction to make the piston wind-back process smooth
 - Approximate replacement value = \$80





9) LinkstyleTest Light Set (2)

Part # A250540-L001390009FBA

- BIDIRECTIONAL VOLTAGE TESTING: Easy to attach the alligator clamp either to negative or positive ground, there is a light-emitting diode on the circuit board for polarity indication (Red light indicates positive polarity"+". Green light indicates negative polarity"-".)
- EASY TO READ: Our electric test pen has a large LCD digital display which is easy to read in both daylight and darkness because it has light.
- DURABLE & FLEXIBLE: Design with a stretchable long cable and probe which
 makes it easy to get into those hard-to-diagnose areas. Anti-bending design of the tail
 wire, no need to worry about bad contact of the line.
- WIDE APPLICATION: This circuit tester is ideal for checking various vehicles' electrical circuits, quickly checking automotive headlights, taillights, turn signal circuits, faulty sockets, and fuse connections, and also for testing other 6-24V DC wirings and circuits.

Approximate replacement value = \$20 ea.



Part # SZ6521

- Test fuel pump output pressure to 10PSI
- Read engine vacuum to 28
- Comes with large 3-1/2" gauge
- Adapters suitable for most vehicles
- Package only contains one gauge.(Blow case for easy storage)
 Approximate replacement value = \$25



11) SREMTCH Soldering Iron Kit

Part # 9160

- Advanced Heating & Cooling Technology The inner-heated ceramic technology of the soldering gun make the soldering iron heat up quickly and save energy, it is also good for the temperature stable; The four ventilation holes on the soldering iron gun provide better heat dissipation, which can extend its lifespan
- Easy to use Digital Multimeter for measuring DC & AC voltage, DC & AC current, resistance, diode and continuity test. Measuring Instrument with function of data hold and large LCD
- Portable metal soldering iron support stand & cleaning sponge holds the soldering iron to ensure safety and convenience. It is safer than any other thin soldering stand.
- De-soldering pump & solder wick help cleaning The de-soldering pump is made of high pressure vacuum tube and aluminum body frame, which allows one-handed use.
 It can absorb large amounts of solder while the solder wire is better for absorbing small amounts of solder
- Soldering iron tools are widely used for welding circuit board, appliance repair, home
 DIY hobbyists & jewelry welding. You can take it anywhere and you will find almost all
 tools match your soldering needs in the PU carry bag

 Approximate replacement value = \$40

12) Moss Lift-A-Dot Punch

Part # 266-105

Approximate replacement value = \$90



13) Shall Oil Filter Wrench Set (2)

Part #

- What Including: 2-piece adjustable and heavy-duty metal oil filter wrenches (10" & 12") for pulling oil filters from cars, motorcycles and trucks or other general assembly tasks. Bonus: 2-pack PVC gloves (L size) for oil-proof purpose, avoiding your hands get dirty while pulling oil filters
- Rust & corrosion resistant: Wrench head is made of high quality forged carbon steel and head's surface is processed with black powder coating finish. Built for long-term use, durable and antirusting



- 3-position slip joint design: Adjustable with 3 positions. Flexible, three gears can be easily adjusted to clamp multiple diameters of oil filters in cars, motorcycles or trucks. Jaw capacity: 10 inch: 2-1/4"- 3-1/2" (58-88 mm); 12 inch: 2-1/2" 4-9/16" (63.5-116 mm)
- Strong holding: Featured with strong jaws and serrated teeth to clamp oil filter tightly and stably, even working for slippery and oil-covered surfaces. Anti-slip, able to remove and tighten oil filters easily with less effort and avoid slipping situation
- 2-color PVC handle: Ergonomic design, providing non-slip and comfortable grip.
 Flexible and labor-saving, handle is long enough to reach long-distance and confined areas, more efficient leverage increases torque and reduces hand fatigue
 Approximate replacement value = \$20 ea.

14) Battery Load Tester

Donated by Julie McKay

Part # BLT

*may not be exactly as shown

*Approximate replacement value = \$40

15) 2 Ton Engine Crane

Donated by Doug Unia

Part # EC

*may not be exactly as shown

Approximate replacement value = \$375



16) Engine Crane Leveler Donated by Doug Unia

Part # ECL

*may not be exactly as shown

Approximate replacement value = \$60



17) Engine Stand

Donated by Doug Unia

Part # ES

*may not be exactly as shown

*Approximate replacement value = \$250



18) Jet Grease Gun

Donated by Roger Tarry

Part # GG

*may not be exactly as shown

Approximate replacement value = \$60



19) Bullet Crimp Tool

Donated by Roger Tarry

Part # BCT

*may not be exactly as shown

*Approximate replacement value = \$30



20) Air Impact Gun

Donated by Brian Collings

Part # AIG

*may not be exactly as shown

Approximate replacement value = \$80



21) 10" Random Orbit Polisher

Donated by _____

Model# 8301

Approximate replacement value = \$50



22) PT Coolant System Pressure Tester

Part # W89733

- Performance Tool Brand
- 0-400 deg. F / PSI- 0-36
- Model Number: W89733
 Approximate replacement value = \$200



23) Carburetor Synchonizer

Donated by Doug Campbell

Part # 386-200

Balance air flow between multiple carburetors
 Approximate replacement value = \$50



24) Clutch Alignment Tool Donated by David Rogers



25) Mini Flywheel Puller Donated by David Rogers



26) Mini Lifting Bar Donated by David Rogers

